



PACCOR

**THE FUTURE OF
PROTEIN SOLUTIONS**

OUR BRAND COMMITMENT

TABLE OF CONTENTS

P. 3 Foreword

P. 5 Tailored solutions

P. 9 Constantly improving

P. 10 PP Trays

P. 11 PET/PE Trays

P. 12 Module trays

P. 13 Standard & Ultralight Trays

P. 14 Dyno & Gastro Trays

P. 16 227 x 178 mm & 325 x 265 mm Trays

P. 17 230 x 144 mm Trays



PROTECTING VALUABLE PRODUCTS

With the best possible solutions – innovative, tailor-made and sustainable with an eye-catching design.



PARTNERING WITH OUR CUSTOMERS

An open and honest dialog lays the basis for a long-lasting trusting partnership.



CONSTANTLY IMPROVING

We are continuously working on improving the efficiency of our material combinations and are making use of the latest industry technologies.



COMPREHENSIVE PRODUCT RANGE

The universal size of our product range allows for it to be easily managed well throughout the entire logistics process.

FOREWORD

FULFILLING THE NEEDS OF OUR CUSTOMERS

Certain foods require special packaging solutions. Therefore, we develop sustainable solutions tailored to our customers' valuable products. Whether it is shape, material, technology, or an attractive appearance – our experts know what is important when it comes to sustainable, innovative packaging.



At PACCOR, our priority is to ensure our customers' products are protected. Therefore, our global packaging experts are always working on efficient material combinations and new technologies. In this way, we provide our customers with the best possible solutions – innovative, tailor-made and sustainable with an eye-catching design. We accompany our customers in the development of individual packaging solutions, from idea generation to market launch. With our many years of expertise and our extensive, international knowledge of the market, we fulfill our customers' expectations and needs in the best possible way.

Protein-containing foods such as fresh meat, fish, or poultry are extremely sensitive. To protect the shelf life, taste, and texture of these demanding foods, it takes specially developed packaging solutions. Our revolutionary DuoSkin technology makes it possible to combine attractive branding with the robustness of the packaging – with preprinted film on foil. These can also be used as additional protection of a product and for separation from the environment.

Sustainability and cost-effectiveness play a major role in the development of these individual packaging solutions. We take special care to ensure that current environmental standards are fully met. We also offer a universal range of sizes for our packaging, which has a positive impact on the entire logistics process. When working with our customers, it is particularly important to us that an open and honest dialog is established, which forms the basis for a trusting partnership.

Kimmo Tuovinen, Sales Director Scandinavia

PROTECTING YOUR PRODUCTS


with expertise in food packaging

PACCOR

INNOVATIVE DEVELOPMENT


PARTNERING WITH OUR CUSTOMERS FOR TAILORED PACKAGING SOLUTIONS

With the support of a global network of packaging experts, our broad geographic reach and fields of expertise, we are able to provide tailor-made solutions that fit our customers' individual purposes. When it comes to innovative sustainable packaging development, PACCOR accompanies our customers from concept to market with a wide choice of material and technology combinations.



FAST EVALUATION

3D printed mock-ups for visual presentations and rapid prototyping of samples offer the ability to evaluate the various options. Further product developments, such as customized designs including touch and feel elements are also possible.



MODEL SAMPLES

For our customers to get a feel of the future product, we are able to simulate its potential new formats, thickness distribution, stacking, volume, and functionality in CAD as well as using 3D designs. For product samples, test inserts, or pilot tools are also available.



PACKAGING STANDARDIZATION

We are producing prototype molds for the correct standardization of materials and packaging properties. From both the perspective of barrier characteristics as well as with regard to industrial production.



WEIGHT REDUCTION

Managing environmental impact is an important factor in our customers' packaging strategy, which is why we have developed a new ultralight tray range that reduces the total weight of a tray by more than 35% compared to the previous packaging.

PP & rPET TRAYS

attractive product presentation



available in many colors



large labelling area




great stackability




up to 100% rPET

Varied shapes and tray sizes



Excellent filling line performance due to stacking solutions and high quality.



DUOSKIN TECHNOLOGY

PACCOR offers its customers the revolutionary DuoSkin technology of preprinted film on top of foil, which maintains attractive branding with packaging robustness. Our films can also be used for additional protection of the contents against external factors. These films are usually clear, but on request, they can be decorated with high-quality flexographic or rotogravure printing.

PROTECTING
YOUR PRODUCTS
with expertise in food packaging



PROTECTING YOUR PRODUCTS

with expertise in food packaging



CONSTANTLY IMPROVING

Our products are designed and manufactured with a focus on protection, speed, and efficiency. We are continuously working on improving our materials, technologies, and designs, brand differentiation and visual appearance, sustainability and customer experience.




ensured safety

The trays are accredited by ISO and BRC/IoP, guaranteeing the most stringent standards for fresh food packaging.



extended shelf life

The trays are suitable for Modified Atmosphere Packaging (MAP).



optimal absorption



Absorbers are automatically applied to the packaging to ensure fresh and attractive presentation of the product. Natural cellulose absorbers can be used to fully comply with today's increasingly stringent environmental standards. Many years of experience in the industry and expert knowledge allow us to be flexible in choosing absorbers that best meet customer expectations.







perfect skin sealing

The trays run on most tray sealer lines, and are available in a universal range of sizes. Therefore, creating synergy throughout the logistics process, and in turn lowering cost.

PP TRAYS

			
<div>NGPL052</div> <div><div>LxWxH</div><div>187 x 137 x 37 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL072</div> <div><div>LxWxH</div><div>187 x 137 x 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL092</div> <div><div>LxWxH</div><div>187 x 137 x 63 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL122</div> <div><div>LxWxH</div><div>187 x 137 x 83 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>NGPL080</div> <div><div>LxWxH</div><div>190 x 144 x 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL100</div> <div><div>LxWxH</div><div>190 x 144 x 65 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL130</div> <div><div>LxWxH</div><div>190 x 144 x 80 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL085</div> <div><div>LxWxH</div><div>227 x 178 x 36 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>NGPL090</div> <div><div>LxWxH</div><div>227 x 178 x 40 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL135</div> <div><div>LxWxH</div><div>227 x 178 x 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL170</div> <div><div>LxWxH</div><div>227 x 178 x 63 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL210</div> <div><div>LxWxH</div><div>227 x 178 x 80 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>NGPL160</div> <div><div>LxWxH</div><div>275 x 175 x 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL200</div> <div><div>LxWxH</div><div>275 x 175 x 65 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL235</div> <div><div>LxWxH</div><div>275 x 175 x 75 mm</div></div> <div><div></div><div>PP</div></div>	<div>NGPL305</div> <div><div>LxWxH</div><div>275 x 175 x 95 mm</div></div> <div><div></div><div>PP</div></div>

PET/PE TRAYS*

			
<div>NGTE052</div> <div><div>LxWxH</div><div>187 x 137 x 37 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE072</div> <div><div>LxWxH</div><div>187 x 137 x 50 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE092</div> <div><div>LxWxH</div><div>187 x 137 x 63 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE122</div> <div><div>LxWxH</div><div>187 x 137 x 83 mm</div></div> <div><div></div><div>PET/PE</div></div>
			
<div>NGTE055</div> <div><div>LxWxH</div><div>205 x 160 x 30 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE075</div> <div><div>LxWxH</div><div>205 x 160 x 40 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE105</div> <div><div>LxWxH</div><div>205 x 160 x 50 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE120</div> <div><div>LxWxH</div><div>205 x 160 x 60 mm</div></div> <div><div></div><div>PET/PE</div></div>
			
<div>NGTE150</div> <div><div>LxWxH</div><div>205 x 160 x 80 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE195</div> <div><div>LxWxH</div><div>205 x 160 x 100 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE094</div> <div><div>LxWxH</div><div>227 x 178 x 40 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE134</div> <div><div>LxWxH</div><div>227 x 178 x 50 mm</div></div> <div><div></div><div>PET/PE</div></div>
			
<div>NGTE174</div> <div><div>LxWxH</div><div>227 x 178 x 60 mm</div></div> <div><div></div><div>PET/PE</div></div>	<div>NGTE214</div> <div><div>LxWxH</div><div>227 x 178 x 80 mm</div></div> <div><div></div><div>PET/PE</div></div>		

LxWxH - dimensions, - material

* available as PET/PE and Mono rPET

MODULE TRAYS



NS560PP165X132BM8	
LxWxH	165 x 132 x 40 mm
♻️	PP



NS790PP165X132BM8	
LxWxH	165 x 132 x 57 mm
♻️	PP



NS1000PP165X132M8	
LxWxH	165 x 132 x 75 mm
♻️	PP



NS950PP178X165M6	
LxWxH	178 x 165 x 45 mm
♻️	PP



NS1140PP178X165M6	
LxWxH	178 x 165 x 54 mm
♻️	PP



NS1450PP178X165M6	
LxWxH	178 x 165 x 70 mm
♻️	PP



NS1200PP265X165SM4	
LxWxH	265 x 165 x 38 mm
♻️	PP



NS1450PP265X165M4	
LxWxH	265 x 165 x 43 mm
♻️	PP



NS1800PP265X165M4	
LxWxH	265 x 165 x 54 mm
♻️	PP



NS1660PP2C265X165M4	
LxWxH	265 x 165 x 54 mm
♻️	PP



NS2000PP265X165M4	
LxWxH	265 x 165 x 61 mm
♻️	PP



NS2400PP265X165M4	
LxWxH	265 x 165 x 75 mm
♻️	PP

STANDARD & ULTRALIGHT TRAYS



NS800PP178X165M6 /UL	
LxWxH	178 x 165 x 38 mm
♻️	PP



NS955PP178X165M6 /UL	
LxWxH	178 x 165 x 45 mm
♻️	PP



NS700PP195X144	
LxWxH	195 x 144 x 35 mm
♻️	PP



NS860PP195X144	
LxWxH	195 x 144 x 46 mm
♻️	PP



NS1000PP195X144	
LxWxH	195 x 144 x 51 mm
♻️	PP



NS1010PP231X130L	
LxWxH	231 x 130 x 50 mm
♻️	PP



NS900PP210X148	
LxWxH	210 x 148 x 40 mm
♻️	PP



NS1250PP210X148	
LxWxH	210 x 148 x 56 mm
♻️	PP

DYNO & GASTRO TRAYS



NS2190PP264X162	
	264 x 162 x 80 mm
	PP



NS2670PP264X162	
	264 x 162 x 100 mm
	PP



NS1950PP312X245	
	312 x 245 x 35 mm
	PP



NS3150PP312X245	
	312 x 245 x 50 mm
	PP



NS2520PP2C312X245	
	312 x 245 x 50 mm
	PP



NS3500PP312X245	
	312 x 245 x 63
	PP



NS4100PP312X245	
	312 x 245 x 74 mm
	PP



NS5500PP312X245	
	312 x 245 x 100 mm
	PP

DYNO & GASTRO TRAYS



NS2410PP324X174	
	324 x 174 x 65 mm
	PP



NS3590PP324X174	
	324 x 174 x 100 mm
	PP



NS2510PP325X265	
	325 x 265 x 40 mm
	PP



NS3270PP325X265	
	325 x 265 x 50 mm
	PP



NS2760PP3C325X265	
	325 x 265 x 50 mm
	PP



NS4000PP325X265	
	325 x 265 x 65 mm
	PP









NS5110PP325X265	
	325 x 265 x 80 mm
	PP




NS6300PP325X265	
	325 x 265 x 100 mm
	PP

227 X 178 MM & 325 X 265 MM TRAYS

			
<div>STPPFFFF103</div> <div><div>LxWxH</div><div>227 X 178 X 40 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF144</div> <div><div>LxWxH</div><div>227 X 178 X 40 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF104</div> <div><div>LxWxH</div><div>227 X 178 X 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF138</div> <div><div>LxWxH</div><div>227 X 178 X 50 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>STPPFFFF141</div> <div><div>LxWxH</div><div>227 X 178 X 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF105</div> <div><div>LxWxH</div><div>227 X 178 X 60 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF138</div> <div><div>LxWxH</div><div>227 X 178 X 60 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF137</div> <div><div>LxWxH</div><div>227 X 178 X 60 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>STPPFFFF159</div> <div><div>LxWxH</div><div>325 x 265 x 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF160</div> <div><div>LxWxH</div><div>325 x 265 x 60 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF162</div> <div><div>LxWxH</div><div>325 x 265 x 65 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF163</div> <div><div>LxWxH</div><div>325 x 265 x 80 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>STPPFFFF164</div> <div><div>LxWxH</div><div>325 x 265 x 90 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF158</div> <div><div>LxWxH</div><div>325 x 265 x 100 mm</div></div> <div><div></div><div>PP</div></div>		

230 X 144 MM TRAYS

			
<div>STPEFFFF001</div> <div><div>LxWxH</div><div>230 x 144 x 10 mm</div></div> <div><div></div><div>PP/PE</div></div>	<div>STPEFFFF002</div> <div><div>LxWxH</div><div>230 x 144 x 20 mm</div></div> <div><div></div><div>PP/PE</div></div>		
			
<div>STPPFFFF100</div> <div><div>LxWxH</div><div>230 x 144 x 40 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF134</div> <div><div>LxWxH</div><div>230 x 144 x 40 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF101</div> <div><div>LxWxH</div><div>230 x 144 x 50 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF129</div> <div><div>LxWxH</div><div>230 x 144 x 50 mm</div></div> <div><div></div><div>PP</div></div>
			
<div>STPPFFFF102</div> <div><div>LxWxH</div><div>230 x 144 x 60 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF124</div> <div><div>LxWxH</div><div>230 x 144 x 60 mm</div></div> <div><div></div><div>PP</div></div>	<div>STPPFFFF126</div> <div><div>LxWxH</div><div>230 x 144 x 60 mm</div></div> <div><div></div><div>PP</div></div>	



Published by
PACCOR Packaging GmbH
Peter-Mueller-Strasse 16/16a
40468 Duesseldorf, Germany

Responsible for content
PACCOR Packaging GmbH

Design/ Layout
Full Moon Group GmbH, Stuttgart, Germany

Date of publication
April 2021

For further information, please contact
PACCOR Sales
sales@paccor.com

You can find up-to-date news about
PACCOR on our website at
www.paccor.com

You can also download all documents from
this site.

Follow us on Social Media



PACCOR.COM